SAFETY DATA SHEET

SDS No.1021-58022 Date October 30, 2023 1/5 page

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : Mix standard, VOC 11 compounds, 100ppm each in Ethanol

NAME OF SUPPLIER : GL Sciences Inc.

ADDRESS : 22-1 Nishishinjuku 6-chome Shinjuku-ku Tokyo 163-1130, Japan

CHARGE SECTION : International Sales Section

TELEPHONE No. : +81-3-5323-6620 FACSIMILE No. : +81-3-5323-6621 PRODUCT No. : 1021-58022 SDS No. : 1021-58022

Research use only.

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION : Flammable liquid : Category 2

Serious eye damage/eye irritation : Category 2
Carcinogenicity : Category 1A
Reproductive toxicity : Category 1A
Specific target organ toxicity (Single exposure)

: Category 3(respiratory irritation,

narcotic effects)

Specific target organ toxicity (Repeated exposure)

: Category 1(Liver)

: Category 2(Central nervous system)

HAZARD SYMBOL







SIGNAL WORD : Danger

HAZARD STATEMENTS :

H225 Highly flammable liquid and vapour
H319 Cause serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness

H350 May cause cancer

H360 May damage fertility or the unborn child

H372 Cause damage to organs through prolonged or repeated exposure Liver
H373 May cause damage to organs through prolonged or repeated exposure Central

nervous system

PRECAUTIONARY STATEMENTS:

[Prevention]

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. –No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.
P260 Do not breathe fume/gas/mist/vapours.

P264 Wash hands thoroughly after handling, hands
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

PRODUCT NAME: Mix standard, VOC 11 compounds, 100ppm each in Ethanol

Date

October 30, 2023

2/5 page

[Response]
P303+P361+ P353

IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breat hing.

P305+ P351+ P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313

IF exposed or concerned: Get medical advice/attention.

P314 Get medical attention if you feel unwell.

P337+P313 If eye irritation persists: Get medical attention.

P370+P378 In case of fire: Use appropriate media such as chemical powder or carb

on dioxide to extinguish.

[Storage]

SDS No. 1021-58022

P403+ P233+P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with all applicable regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL IDENTITY : Mixture

CHEMICAL IDENTITY	CONTENT	CHEMICAL FORMULA	CAS No.	TSCA INVENTRY	EINECS No.	EC INDEX No.
Ethanol	99.89%	C2H5OH	64-17-5	Listed	200-578-6	603-002-00-5
Formaldehyde	0.01%	HCHO	50-00-0	Listed	200-001-8	605-001-00-5
Acetaldehyde	0.01%	CH3CHO	75-07-0	Listed	200-836-8	605-003-00-6
Toluene	0.01%	C6H5CH3	108-88-3	Listed	203-625-9	601-021-00-3
Ethylbenzene	0.01%	C2H5C6H5	100-41-4	Listed	202-849-4	601-023-00-4
o-Xylene	0.01%	C6H4(CH3)2	95-47-6	Listed	202-422-2	601-022-00-9
m-Xylene	0.01%	C6H4(CH3)2	108-38-3	Listed	203-576-3	601-022-00-9
p-Xylene	0.01%	C6H4(CH3)2	106-42-3	Listed	203-396-5	601-022-00-9
Styrene	0.01%	C6H5CH=CH2	100-42-5	Listed	202-851-5	601-026-00-0
n-Tetradecane	0.01%	CH3(CH2)12CH3	629-59-4	Listed	211-096-0	Not listed
Benzene	0.01%	C6H6	71-43-2	Listed	200-753-7	601-020-00-8
p-Dichlorobenzene	0.01%	C6H4Cl2	106-46-7	Listed	200-400-5	602-035-00-2

4. F	IRST	AID	MEASU	JRES

GENERAL ADVICE : Consult a physician. Show this safety data sheet to the doctor in attendance.

INHALATION : Move victim to fresh air. If breathing is difficult, give oxygen. If irritation persists,

consult a physician.

SKIN CONTACT : Remove contaminated clothes and shoes, rinse skin with plenty of water or

shower. Use soap to help assure removal. Consult a physician immediately.

EYE CONTACT : Flush eyes well with flooding large amounts of running water for at least 15

minutes. Assure adequate flushing by separating the eyelids with sterile fingers.

If possible, remove any contact lenses. Consult a physician immediately.

INGESTION: Rinse mouth, give plenty of water to dilute the substance. Do not i

Rinse mouth, give plenty of water to dilute the substance. Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a

physician immediately.

GENERAL ADVICE : Wash off immediately with soap and plenty of water. In the case of respirable

dust and/or fumes, use self-contained breathing apparatus and dust impervious

protective suit. Use personal protective equipment.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA : Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

FIRE & EXPLOSION HAZARDS : Toxic, irritating, dust/fume/smoke may be emitted. Carbon monoxide may be

foamed.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS

Firemen should wear normal protective equipment(full bunker gear) and

positive-pressure self-contained breathing apparatus.

PRODUCT NAME: Mix standard, VOC 11 compounds, 100ppm each in Ethanol

SDS No. 1021-58022 Date October 30, 2023 3/5 page

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS : Remove ignition sources and ventilate the area. In case of insufficient ventilation,

wear suitable respiratory equipment. Avoid raising dust and avoid contact with

skin and eyes.

ENVIROMENTAL PRECATIONS : Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

METHODS FOR CLEAN UP : Do not touch spilled material without suitable protection. Pick up and arrange

disposal without creating dust. Sweep up and shovel. Keep in suitable, closed

containers for disposal.

7. HANDLING AND STORAGE

HANDLING : Keep away from ignition sources and ventilate the area -No smoking. In case

of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with eyes, skin, and clothing. Avoid inhalation of vapour or mist. Avoid prolonged or repeated exposure. Handle this product with suitable

protection.

STORAGE : Store away from sunlight, heat and all ignition sources in well-ventilated dry

place. Keep container tightly closed. Keep cool(2 ~ 10°C).

INCOMOPATIBLE PRODUCTS : Strong oxidizers, acids

8. EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING MEASURES : Use exhaust ventilation to keep airborne concentrations below exposure limits.

Use adequate ventilation.

VENTILATION : Local Exhaust; Necessary, Mechanical(General); Necessary

PERSONAL PROTECTION

Respiratory protection : Use respirators approved under appropriate government standards and follow

all regulations.

HAND PROTECTION : Chemical resistant gloves
EYE PROTECTION : Safety glasses(goggles)
SKIN PROTECTION : Protective clothing

CONTROL PARAMETERS

COMPONENTS	ACGIH	OSHA Final Limits	NIOSH REL		
Ethanol	TWA= 1000 ppm	TWA= 1000 ppm	TWA= 1000 ppm		
Formaldehyde	Ceiling 0.3 ppm	3 ppm	Not established		
Acetaldehyde	25 ppm	Not established			
Toluene	50 ppm	TWA 200 ppm	TWA 100 ppm		
Ethylbenzene	100 ppm	TWA 100 ppm	TWA 100 ppm		
o-Xylene					
m-Xylene	100 ppm				
p-Xylene					
Styrene	20 ppm	TWA 100 ppm	TWA 50 ppm		
n-Tetradecane	Not established				
Benzene	TWA 0.5ppm	8-h TWA 75ppm	10-h TWA 0.1ppm		
p-Dichlorobenzene	TWA 10ppm	TWA 75ppm	Not established		

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE : Liquid

COLOUR : Colorless, clear
ODOR : Characteristic odor

MELTING POINT / FREEZING POINT

: -117 °C(Ethanol)

PRODUCT NAME : Mix standard, VOC 11 compounds, 100ppm each in Ethanol

SDS No. 1021-58022 Date October 30, 2023 4/5 page

BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE

: approx.78 °C(Ethanol)

FLAMMABILITY : Flammable

LOWER AND UPPER EXPLOSION LIMIT / FLAMMABILITY LIMIT

: 3.3% (lower), 19 % (upper)(Ethanol)

FLASH POINT : 12.8 °C (TCC) (Ethanol) AUTOIGNITION TEMPERATURE : 371 - 427 °C (Ethanol)

DECOMPOSITION TEMPERATURE

: No data available(Ethanol)

pH : No data available KINEMATIC VISCOSITY : Not applicable

SOLUBILITY

Water : Miscible Organic solvent : Miscible

PARTITION COEFFICIENT n-octanol/water (log value)

: -0.32 (Ethanol)

VAPOR PRESSURE : 5.33 kPa (at 20°C) (Ethanol)

DENSITY AND/OR RELATIVE DENSITY

: 0.81 g/cm3 (at 20° C)(Ethanol)

RELATIVE VAPOUR DENSITY : 1.6(Ethanol)
PARTICLE CHARACTERISTICS : Not applicable

10. STABILITY AND REACTIVITY

REACTIVITY : Stable under recommended storage conditions.

CHEMICAL STABILITY : Reacts with strong oxidizers.

CONDITION TO AVOID : Sunlight, heat, open flames, high temperature, sparks, static electrical charge,

other ignition sources, moisture

INCOMPATIBILE MATERIALS : Oxidizers and strong acids

HAZARDOUS DECOMPOSITION PRODUCTS

: CO, CO2 may be formed.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY : oral, dermal, inhalation: Not classified

SKIN CORROSION/IRRITATION : Not classified

EYE DAMAGE/EYE IRRITATION : 9 components are classified in Category 2.

(Ethanol) : Rat: moderate irritating(SIDS(2009),DFGOT Vol.12(1999) RESPIRATORY SENSITIZATION : This product was classified depend on Formaldehyde.

SKIN SENSITIZATION : 2 component is classified in Category 1.

GERM CELL MUTAGENICITY : This product was classified in Category 1B depending on Ethanol.

CARCINOGENICITY : This product was classified in Category 1 depending on Formaldehyde.

(Formaldehyde) : IARC: Group 1(IARC,2005)

REPRODUCTIVE TOXICITY : 5 components are classified in Category 1A - 1B.

(Ethanol) : Human: fetal alcohol syndrome(PATTY(6th,2012))

(Toluene) : Human: fetal alcohol syndrome(IARC 71,1999)

SPECIFIC TARGET ORGAN TOXICITY - single exposure -

: This product was classified in Category 3 depending on Ethanol.

(Ethanol) : Human: eye and respiratory tract irritation, induce a toxicity and death(PATTY(6th,

2012)

SPECIFIC TARGET ORGAN TOXICITY - repeated exposure -

This product was classified in Category 1 and 2 depending on Ethanol.

(Ethanol) : Human: very harmful to all organ, especially liver.(DFGOT vol.12(1999),HSDB

(Access on June 2013), SIDS(2005)m PATTY(6th,2012))

12. ECOLOGICAL INFORMATION

HAZARDOUS TO THE AQUATIC ENVIRONMENT Short-term (acute)

: This product was classified in Category 3.

(Ethyl benzene) : Brown shrimp: LC50=0.4mg/L/96h(CERI·NITE,2006)

(o-Xylene) : Selenastrum: LC50=0.8mg/L/72h
HAZARDOUS TO THE AQUATIC ENVIRONMENT Long-term (chronic)
: This mixture is not classified.

PRODUCT NAME: Mix standard, VOC 11 compounds, 100ppm each in Ethanol

SDS No. 1021-58022 Date October 30, 2023 5/5 page

BIODEGRADABILITY : Acrolein: TOC=0%
BIOACCUMULATIVE POTENTIAL : No data available
MOBILITY IN SOIL : No data available

HAZARDOUS TO THE OZONE LAYER

: Not listed in Montreal Protocol list.

13. DISPOSAL INFORMATION

Dispose in a hazardous-waste site in accordance with all applicable regulations. Any disposal practice must be in compliance with country, local, state, and federal laws and regulations (contact country, local or state environment agency for specific rules).

14. TRANSPORT INFORMATION

International Regulations

Marine regulatory information : Comply the provisions of IMO.

UN Number : 1170

Proper Shipping Name : ETHANOL SOLUTION Class : 3, flammable liquid

Packing Group : II

Marine Pollutant : Not applicable

Aviation regulatory information : Comply the previsions of ICAO/IATA.

UN Number : 1170

Proper Shipping Name : ETHANOL SOLUTION Class : 3, flammable liquid

Packing Group : II

Regulations in Japan

Land regulatory information : Not applicable

Marine regulatory information : Comply the provisions of the Ship Safety Act..

UN Number : 1170

Proper Shipping Name : Ethanol solution
Class : 3, flammable liquid

Packing Group : II

Marine Pollutant : Not applicable

Aviation regulatory information : Comply the previsions of the Civil Aeronautics Act.

UN Number : 1170

Proper Shipping Name : Ethanol solution
Class : 3, flammable liquid

Packing Group : II Emergency Response Guide Number

: 127

15. REGULATORY INFORMATION

US REGULATIONS : Labeling according to EC Directives; See section 2 EU REGURATIONS : Labeling according to EC Directives; See section 2

16. OTHER INFORMATION

NOTICE:

The information contained in the SDS description is applicable exclusively to the chemical substance identified herein and for its intended use as an analytical reference standard or reagent and to the unit quantity intended for that purpose. The information does not relate to, and may not be appropriate for, any application or larger quantity of the substance described. Our products are intended for the use by individuals possessing sufficient technical skill and qualification on use the material potential hazardous chemical. Accordingly, no representation or warranty, express or implied, with respect to merchantability and fitness for a particular purpose is made with respect to the information contained herein.

Attention:

This product in terms of chemical identity and the unit amount provide is intended for use in chemical analysis and not for human consumption, nor any other purpose.